




SPIRAC[®]
Solid Handling Solutions

COMBIGUARD[®]

PREFABRICATED HEADWORKS
SOLUTION FOR THE REMOVAL
OF SCREENINGS AND GRIT



FEATURES AND BENEFITS

- ▶ A complete screening, grit capture and washing system.
- ▶ Designs and layout able to be customised to suit client-specific requirements.
- ▶ Space-saving solution for facilities requiring low equipment footprint.
- ▶ Lower capital cost, power consumption and wash-water usage.
- ▶ A prefabricated solution that requires greatly reduced installation time on site.
- ▶ SPIRAC technology with few moving parts, meaning lower maintenance and down time.
- ▶ Simple and reliable operation due to low head loss.
- ▶ Effective operation across a wide flow.

COMBIGUARD® HEADWORKS PACKAGES

Bringing together a number of SPIRAC's most effective product solutions, the COMBIGUARD® has been developed to meet the requirements of small- to large-size municipal communities, for the removal of screenings and grit.

SPIRAC offers a range of individual equipment solutions for wastewater treatment plants. Such a diverse product range coupled with a high level of knowledge and expertise makes our sales, design and project management teams able to offer packaged inlet works solutions for the smallest to largest WWTP.

The COMBIGUARD® unit combines the features of:

SPIROGUARD Compact Cleaner (CC)

This machine combines screening, conveying, dewatering and removal of solids from effluent and process streams in one compact machine. The screen ideally suited as a tanker reception facilitator screening separation unit. SPIROGUARD® is robust, easy to install and, with only one moving part, virtually maintenance free. Slow speed combined with automatic intermittent

operation ensures a reliable and efficient system. The SPIROGUARD® CC Screen is designed as a standalone unit for pump-fed or tanker gravity flow applications.

SANDSEP® Classifier

The SANDSEP® is a highly efficient unit designed to separate grit and other pollutants from process and effluent streams. The design of the inlet section reduces turbulence to a minimum and creates an optimum flow pattern for efficient settling. The solids settle in the bottom of the classifier, which contains a spiral. The spiral transports the sediment slowly (speeds are kept to around 5 RPM to minimise turbulence) to an inclined or vertical conveyor, which then discharges the grit.

COMBIGUARD® is your solution when you need to create a complete end-to-end wastewater pre-treatment plant, that covers all of the applications required for municipal facilities. When brought together with screenings washing, dewatering and flotation, a complete inlet works system can be created.




COMBIGUARD® Type1 including press head

Type 1:

SPIROGUARD® with or without Manual Bar Screen by-pass and a SAL (Rectangular tank with horizontal & incline conveyors). The following options are available:

- ▶ Aeration diffuser system for retention of organics during low or no flow conditions
- ▶ Fat, oil, grease (FOG) skimmer
- ▶ Press head for cost effective dewatering and compaction of screenings
- ▶ Longopac bagging systems for complete containment of screenings and grit



Model	A (in)	B (in)	C (in)	Nominal Capacity (gpm)
CG-200-040	144	134	94	630
CG-250-060	203	140	93	950
CG-250-080	262	140	93	1260
CG-300-100	320	147	93	1580
CG-350-120	379	148	93	1900
CG-400-140	438	158	93	2140
CG-400-160	497	158	93	2500



COMBIGUARD® Type2 including SPIROGUARD®, Grit Vortex and SANDWASH™

Type 2:

We offer a wide range of equipment combinations, and screens enabling this type of COMBIGUARD® to be adapted to any requested flow requirement.



PLEASE CONTACT US FOR MORE INFORMATION

SPIRAC (USA) INC.

Postal Address:
75 Jackson Street Suite
300 Newnan Georgia 30263

Phone. +1 (770) 632 9833
Fax. +1 (770) 632 9838
E-mail. sales@spirac.com

WWW.SPIRAC.COM

ALL INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE

© SPIRAC. All rights reserved. V.4.1 10/2020